




SHW260

LAMA CIRCOLARE PER MULTILAME

Circular sawblade for multi
rip saw machines



CODICE CODE	D mm	B mm	b mm	d mm	CHIAVETTE DKN	Z
SHW260-01	250	3,2	2,2	70	21×81	20
SHW260-02	250	3,2	2,2	80	13×90	20
SHW260-03	300	3,2	2,2	60	21×74	24
SHW260-04	300	3,2	2,2	70	21×84	24
SHW260-05	300	3,2	2,2	80	13×90	24
SHW260-06	350	3,5	2,5	70	21×84	28
SHW260-07	350	3,5	2,5	80	14×92	28



= ECO-SILENZIATE
Eco-Silent



= SILENZIATE
Silent



= SILENZIATE
Ultra-Silent

ANTHON

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-44	400×4,4/3,2×60 Z=72	TP	2/11/85
SHW280-53	430×4,4/3,2×60 Z=72	TP	2/11/85
SHW280-61	450×4,4/3,2×60 Z=72	TP	2/11/85 + 2/14/125
SHW280-82	530×5,8/4,0×60 Z=60	TP	2/11/85
SHW280-101	730×6,2/4,4×80 Z=60	TP	2/17/110

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-32	180×4,3/5,5×20 Z=36		
SHW290-39	180×5,8/7,0×20 Z=36		
SHW290-40	180×6,2/7,2×20 Z=36		

GABBIANI

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-04	300×4,4/3,2×80 Z=60	TP	PH4
SHW280-07	300×4,4/3,2×80 Z=72	TP	PH4
SHW280-10	320×4,4/3,2×80 Z=60	TP	PH4
SHW280-18	350×4,4/3,2×80 Z=54	TP	PH4
SHW280-24	350×4,4/3,2×80 Z=72	TP	PH4
SHW280-25	350×4,6/3,2×80 Z=72	TP	PH4
SHW280-29	355×4,4/3,2×80 Z=72	TP	PH4
SHW280-36	380×4,4/3,2×80 Z=72	TP	PH4
SHW280-42	400×4,4/3,2×80 Z=60	TP	PH4
SHW280-46	400×4,4/3,2×80 Z=72	TP	PH4
SHW280-48	400×4,6/3,2×80 Z=72	TP	PH4
SHW280-50	420×4,4/3,2×80 Z=72	TP	PH4
SHW280-63	450×4,4/3,2×80 Z=72	TP	PH4
SHW270-07	350×4,4/3,2×80 Z=54	A	PH4
SHW270-10	350×4,4/3,2×80 Z=72	A	PH4
SHW270-12	400×4,4/3,2×80 Z=36	A	PH4
SHW270-14	400×4,4/3,2×80 Z=48	A	PH4
SHW270-17	400×4,4/3,2×80 Z=60	A	PH4
SHW270-20	400×4,4/3,2×80 Z=72	A	PH4
SHW270-22	400×4,6/3,2×80 Z=60	A	PH4
SHW270-23	450×4,4/3,2×80 Z=36	A	PH4
SHW270-25	450×4,4/3,2×80 Z=54	A	PH4

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-24	150×4,3/5,5×55 Z=36	/	3/7/66
SHW290-28	160×4,3/5,5×55 Z=36	/	3/7/66
SHW290-30	160×4,5/5,7×55 Z=36	/	3/7/66
SHW290-31	160×4,7/6,0×55 Z=36	/	3/7/66
SHW290-35	180×4,3/5,5×55 Z=36	/	3/7/66
SHW290-48	200×4,3/5,5×80 Z=36	/	2/14/110

GIBEN

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-08	320×4,4/3,2×50 Z=60	TP	6/12,5/80 + 2/12,5/80
SHW280-11	320×4,4/3,2×50 Z=72	TP	6/12,5/80 + 2/12,5/80
SHW280-14	330×4,4/3,2×50 Z=60	TP	6/12,5/80 + 2/12,5/80
SHW280-20	350×4,4/3,2×50 Z=72	TP	6/12,5/80 + 2/12,5/80
SHW280-30	360×4,4/3,2×50 Z=72	TP	6/12,5/80 + 2/12,5/80
SHW280-33	380×4,4/3,2×50 Z=72	TP	6/12,5/80 + 2/12,5/80
SHW280-04	320×4,4/3,2×50 Z=36	A	6/12,5/80 + 2/12,5/80
SHW280-12	320×4,4/3,2×75 Z=72	TP	3/13/95
SHW280-17	350×4,4/3,2×75 Z=54	TP	PH5
SHW280-23	350×4,4/3,2×75 Z=72	TP	PH5
SHW280-28	355×4,4/3,2×75 Z=72	TP	PH5
SHW280-35	380×4,4/3,2×75 Z=72	TP	PH5
SHW280-41	400×4,4/3,2×75 Z=60	TP	4/15/105
SHW280-45	400×4,4/3,2×75 Z=72	TP	4/15/105
SHW280-55	430×4,4/3,2×75 Z=72	TP	4/15/105
SHW280-57	430×4,4/3,2×75 Z=96	TP	4/15/105
SHW280-69	470×4,4/3,2×75 Z=72	TP	4/15/105
SHW280-70	470×4,4/3,2×75 Z=96	TP	4/15/105
SHW280-06	350×4,4/3,2×75 Z=54	A	PH5
SHW280-09	350×4,4/3,2×75 Z=72	A	PH5
SHW280-16	400×4,4/3,2×75 Z=60	A	4/15/105
SHW280-19	400×4,4/3,2×75 Z=72	A	4/15/105
SHW280-21	400×4,6/3,2×75 Z=60	A	4/15/105
SHW280-86	550×5,2/3,5×100 Z=72	TP	/
SHW280-87	565×5,2/3,5×100 Z=72	TP	/

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-13	125×4,3/5,5×45 Z=24	/	/
SHW290-18	150×4,3/5,5×45 Z=36	/	3/11/70
SHW290-27	160×4,3/5,5×45 Z=36	/	3/11/70
SHW290-29	160×4,5/5,7×45 Z=36	/	3/11/70
SHW290-42	180×4,3/5,5×50 Z=44	/	3/12,5/80
SHW290-37	180×4,7/6,0×50 Z=36	/	3/12,5/80
SHW290-38	180×5,0/6,2×55 Z=36	/	/
SHW290-43	190×4,0/5,1×50 Z=36	/	2/7/80
SHW290-57	215×4,3/5,5×50 Z=42	/	3/15/80
SHW290-58	215×4,5/5,7×50 Z=42	/	3/15/80
SHW290-62	300×4,3/5,5×50 Z=48	/	3/15/80
SHW290-64	300×4,5/5,7×50 Z=48	/	3/15/80

HOLZMA

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-21	350×4,4/3,2×60 Z=72	TP	2/14/100
SHW280-34	380×4,4/3,2×60 Z=72	TP	2/14/100
SHW280-37	380×4,8/3,5×60 Z=72	TP	2/14/100
SHW280-38	380×4,8/3,5×60 Z=84	TP	2/14/100
SHW280-49	400×4,8/3,5×60 Z=72	TP	2/14/100+2/14/125
SHW280-51	420×4,8/3,5×60 Z=72	TP	2/14/125
SHW280-61	450×4,4/3,2×60 Z=72	TP	2/11/85 + 2/14/125
SHW280-65	450×4,8/3,5×60 Z=72	TP	2/14/125
SHW280-76	500×4,8/3,5×60 Z=60	TP	2/11/115
SHW280-77	500×4,8/3,5×60 Z=72	TP	2/11/115
SHW280-72	480×4,8/3,5×60 Z=72	TP	2/11/115 + 2/19/120
SHW280-78	520×4,8/3,5×60 Z=60	TP	2/11/115 + 2/19/120
SHW280-83	540×4,8/3,5×60 Z=84	TP	2/11/115 + 2/19/120
SHW280-84	540×5,8/4,0×60 Z=60	TP	2/11/115 + 2/19/120
SHW280-88	570×4,8/3,5×60 Z=60	TP	2/11/115 + 2/19/120
SHW280-89	570×5,8/4,0×60 Z=96	TP	2/11/115 + 2/19/120
SHW280-90	600×5,8/4,0×60 Z=60	TP	2/11/115 + 2/19/120
SHW280-91	600×5,8/4,0×60 Z=72	TP	2/11/115 + 2/19/120
SHW280-95	670×5,8/4,0×60 Z=60	TP	2/19/120 + 2/11/148
SHW280-96	670×5,8/4,0×60 Z=72	TP	2/19/120 + 2/11/148
SHW280-99	730×6,2/4,4×60 Z=60	TP	2/19/120 + 2/11/148
SHW280-100	730×6,2/4,4×60 Z=72	TP	2/19/120 + 2/11/148

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-34	180×4,3/5,5×45 Z=36	/	/
SHW290-36	180×4,7/6,0×45 Z=36	/	/
SHW290-46	200×4,3/5,5×45 Z=36	/	/
SHW290-50	200×4,7/6,0×45 Z=36	/	/
SHW290-54	200×5,8/7,0×45 Z=36	/	/
SHW290-56	200×6,2/7,2×45 Z=36	/	/

MACMAZZA

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-17	350×4,4/3,2×75 Z=54	TP	3/7/100
SHW280-23	350×4,4/3,2×75 Z=72	TP	3/7/100
SHW280-28	355×4,4/3,2×75 Z=72	TP	3/7/100
SHW280-35	380×4,4/3,2×75 Z=72	TP	3/7/100
SHW270-06	350×4,4/3,2×75 Z=54	A	3/7/100
SHW270-09	350×4,4/3,2×75 Z=72	A	3/7/100
SHW280-62	450×4,4/3,2×75 Z=72	TP	3/7/120

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-28	160×4,3/5,5×55 Z=36	/	3/6/84
SHW290-60	280×4,3/5,5×55 Z=48	/	3/6/84
SHW290-61	280×4,5/5,6×55 Z=48	/	3/6/84

MAYER

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-01	300×4,4/3,2×30 Z=60	TP	PH2
SHW280-05	300×4,4/3,2×30 Z=72	TP	PH2
SHW280-16	350×4,4/3,2×30 Z=54	TP	PH2
SHW280-19	350×4,4/3,2×30 Z=72	TP	PH2
SHW280-40	400×4,4/3,2×30 Z=60	TP	2/10/60
SHW280-43	400×4,4/3,2×30 Z=72	TP	2/10/60
SHW270-01	300×4,4/3,2×30 Z=48	A	PH2
SHW270-02	300×4,4/3,2×30 Z=60	A	PH2
SHW270-03	300×4,4/3,2×30 Z=72	A	PH2
SHW270-05	350×4,4/3,2×30 Z=54	A	PH2
SHW270-08	350×4,4/3,2×30 Z=72	A	PH2
SHW270-15	400×4,4/3,2×30 Z=60	A	2/10/60
SHW270-18	400×4,4/3,2×30 Z=72	A	2/10/60

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-13	125×4,3/5,5×45 Z=24	/	/
SHW290-22	150×4,3/5,5×30 Z=36	/	/

HOMAG

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-03	300×4,4/3,2×75 Z=60	TP	/
SHW280-17	350×4,4/3,2×75 Z=54	TP	/
SHW280-23	350×4,4/3,2×75 Z=72	TP	/
SHW280-28	355×4,4/3,2×75 Z=72	TP	/
SHW280-41	400×4,4/3,2×75 Z=60	TP	/
SHW280-45	400×4,4/3,2×75 Z=72	TP	/
SHW270-06	350×4,4/3,2×75 Z=54	A	/
SHW270-09	350×4,4/3,2×75 Z=72	A	/
SHW270-16	400×4,4/3,2×75 Z=60	A	/
SHW270-19	400×4,4/3,2×75 Z=72	A	/
SHW270-21	400×4,6/3,2×75 Z=60	A	/

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-23	150×4,3/5,5×45 Z=36	/	/
SHW290-13	125×4,3/5,5×45 Z=24	/	/
SHW290-34	180×4,3/5,5×45 Z=36	/	/
SHW290-46	200×4,3/5,5×45 Z=36	/	/

PANHANS

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-01	300×4,4/3,2×30 Z=60	TP	PH2
SHW280-05	300×4,4/3,2×30 Z=72	TP	PH2
SHW280-16	350×4,4/3,2×30 Z=54	TP	PH2
SHW280-19	350×4,4/3,2×30 Z=72	TP	PH2
SHW280-40	400×4,4/3,2×30 Z=60	TP	PH2
SHW280-43	400×4,4/3,2×30 Z=72	TP	PH2
SHW280-60	450×4,4/3,2×30 Z=72	TP	2/10/60
SHW270-01	300×4,4/3,2×30 Z=48	A	PH2
SHW270-02	300×4,4/3,2×30 Z=60	A	PH2
SHW270-03	300×4,4/3,2×30 Z=72	A	PH2
SHW270-05	350×4,4/3,2×30 Z=54	A	PH2
SHW270-08	350×4,4/3,2×30 Z=72	A	PH2
SHW270-15	400×4,4/3,2×30 Z=60	A	2/10/60
SHW270-18	400×4,4/3,2×30 Z=72	A	2/10/60
SHW270-24	450×4,4/3,2×30 Z=54	A	2/10/60
SHW270-26	450×4,4/3,2×30 Z=72	A	2/10/60

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-11	125×4,3/5,5×20 Z=24	/	/
SHW290-33	180×4,3/5,5×30 Z=36	/	/
SHW290-45	200×4,3/5,5×30 Z=36	/	/

SCM

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-04	300×4,4/3,2×80 Z=60	TP	PH4
SHW280-07	300×4,4/3,2×80 Z=72	TP	PH4
SHW280-18	350×4,4/3,2×80 Z=54	TP	PH4
SHW280-24	350×4,4/3,2×80 Z=72	TP	PH4
SHW280-25	350×4,6/3,2×80 Z=72	TP	PH4
SHW280-29	355×4,4/3,2×80 Z=72	TP	PH4
SHW280-36	380×4,4/3,2×80 Z=72	TP	PH4
SHW280-42	400×4,4/3,2×80 Z=60	TP	PH4
SHW280-46	400×4,4/3,2×80 Z=72	TP	PH4
SHW280-48	400×4,6/3,2×80 Z=72	TP	PH4
SHW270-07	350×4,4/3,2×80 Z=54	A	PH4
SHW270-10	350×4,4/3,2×80 Z=72	A	PH4
SHW270-12	400×4,4/3,2×80 Z=36	A	PH4
SHW270-14	400×4,4/3,2×80 Z=48	A	PH4
SHW270-17	400×4,4/3,2×80 Z=60	A	PH4
SHW270-20	400×4,4/3,2×80 Z=72	A	PH4
SHW270-22	400×4,6/3,2×80 Z=60	A	PH4
SHW270-23	450×4,4/3,2×80 Z=36	A	PH4
SHW270-25	450×4,4/3,2×80 Z=54	A	PH4

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-24	150×4,3/5,5×55 Z=36	/	3/7/66
SHW290-28	160×4,3/5,5×55 Z=36	/	3/7/66
SHW290-30	160×4,5/5,7×55 Z=36	/	3/7/66
SHW290-48	200×4,3/5,5×80 Z=36	/	2/14/110

SCELLING

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-16	350×4,4/3,2×30 Z=54	TP	PH2
SHW280-19	350×4,4/3,2×30 Z=72	TP	PH2
SHW280-32	370×4,4/3,2×30 Z=72	TP	2/10/60
SHW280-40	400×4,4/3,2×30 Z=60	TP	PH2
SHW280-43	400×4,4/3,2×30 Z=72	TP	PH2
SHW270-05	350×4,4/3,2×30 Z=54	A	PH2
SHW270-08	350×4,4/3,2×30 Z=72	A	PH2
SHW270-15	400×4,4/3,2×30 Z=60	A	2/10/60
SHW270-18	400×4,4/3,2×30 Z=72	A	2/10/60
SHW280-60	450×4,4/3,2×30 Z=72	TP	2/13/94
SHW280-67	460×4,4/3,2×30 Z=72	TP	2/13/94
SHW280-71	480×4,4/3,2×30 Z=72	TP	2/13/94
SHW280-75	500×4,6/3,2×30 Z=72	TP	2/13/94
SHW280-79	520×4,8/3,5×30 Z=72	TP	2/13/94
SHW280-81	530×5,0/3,5×30 Z=60	TP	2/13/94
SHW270-24	450×4,4/3,2×30 Z=54	A	2/13/94
SHW270-26	450×4,4/3,2×30 Z=72	A	2/13/94
SHW270-28	500×4,6/3,2×30 Z=72	A	2/13/94
SHW280-85	550×5,2/3,5×40 Z=60	TP	2/13/122
SHW280-92	620×6,2/4,0×40 Z=60	TP	2/13/94 + 2/17/140
SHW280-93	650×6,2/4,0×40 Z=60	TP	2/13/94 + 2/17/140
SHW280-94	650×6,2/4,0×40 Z=60	TP	2/13/94 + 2/17/140
SHW280-97	680×6,2/4,0×40 Z=60	TP	2/13/94 + 2/17/140
SHW280-98	720×6,2/4,4×40 Z=60	TP	

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-32	180×4,3/5,5×20 Z=36	/	/
SHW290-41	180×6,8/7,8×20 Z=36	/	/
SHW290-44	200×4,3/5,5×20 Z=36	/	/
SHW290-52	200×5,0/6,2×20 Z=36	/	/
SHW290-55	200×6,2/7,2×20 Z=36	/	/

SELCO

LAMA /Saw Blade

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW280-02	300x4,4/3,2x65 Z=60	TP	2/9/100 + 2/9/110
SHW280-06	300x4,4/3,2x65 Z=72	TP	2/9/100 + 2/9/110
SHW280-09	320x4,4/3,2x65 Z=60	TP	2/9/100 + 2/9/110
SHW280-13	320x4,6/3,2x65 Z=60	TP	2/9/100 + 2/9/110
SHW280-22	350x4,4/3,2x65 Z=72	TP	2/9/100 + 2/9/110
SHW280-27	355x4,4/3,2x65 Z=72	TP	2/9/100 + 2/9/110
SHW280-31	360x4,6/3,2x65 Z=72	TP	2/9/100 + 2/9/110
SHW280-54	430x4,4/3,2x65 Z=72	TP	2/9/100 + 2/9/110
SHW280-47	400x4,6/3,2x65 Z=72	TP	2/9/100 + 2/9/110
SHW280-59	430x4,8/3,5x70 Z=72	TP	PH4
SHW280-68	470x4,4/3,2x70 Z=72	TP	PH4
SHW280-80	520x4,8/3,5x70 Z=72	TP	PH4
SHW280-18	350x4,4/3,2x80 Z=54	TP	PH4
SHW280-24	350x4,4/3,2x80 Z=72	TP	PH4
SHW280-25	350x4,6/3,2x80 Z=72	TP	PH4
SHW280-29	355x4,4/3,2x80 Z=72	TP	PH4
SHW280-42	400x4,4/3,2x80 Z=60	TP	PH4
SHW280-46	400x4,4/3,2x80 Z=72	TP	PH4
SHW280-48	400x4,6/3,2x80 Z=72	TP	PH4
SHW280-56	430x4,4/3,2x80 Z=72	TP	PH4
SHW280-63	450x4,4/3,2x80 Z=72	TP	PH4
SHW280-64	450x4,6/3,2x80 Z=72	TP	PH4
SHW280-66	450x4,8/3,5x80 Z=72	TP	PH4
SHW280-73	480x4,8/3,5x80 Z=72	TP	4/19/120 + 2/9/130
SHW280-74	480x5,2/3,5x80 Z=72	TP	4/19/120 + 2/9/130
SHW270-07	350x4,4/3,2x80 Z=54	A	PH4
SHW270-10	350x4,4/3,2x80 Z=72	A	PH4
SHW270-12	400x4,4/3,2x80 Z=36	A	PH4
SHW270-14	400x4,4/3,2x80 Z=48	A	PH4
SHW270-17	400x4,4/3,2x80 Z=60	A	PH4
SHW270-20	400x4,4/3,2x80 Z=72	A	PH4
SHW270-22	400x4,6/3,2x80 Z=60	A	PH4
SHW270-23	450x4,4/3,2x80 Z=36	A	PH4
SHW270-25	450x4,4/3,2x80 Z=54	A	PH4
SHW270-27	450x4,8/3,5x80 Z=48	A	PH4

INCISORE /Scorer

CODICE CODE	DIMENSIONI DIMENSION	DENTE TEETH	FORATURA PIN HOLES
SHW290-47	200x4,3/5,5x65 Z=36	/	2/9/100 + 2/9/110
SHW290-49	200x4,5/5,7x65 Z=36	/	2/9/100 + 2/9/110
SHW290-51	200x4,7/6,0x65 Z=36	/	2/9/100 + 2/9/110
SHW290-53	200x5,0/6,2x65 Z=36	/	2/9/100 + 2/9/110
SHW290-63	300x4,3/5,5x65 Z=72	/	2/9/100 + 2/9/110
SHW290-65	300x4,5/5,7x65 Z=72	/	2/9/100 + 2/9/110
SHW290-66	300x4,7/6,0x65 Z=72	/	2/9/100 + 2/9/110